Exceeding The Limits To Always Get The Best

800x2400 MM

CONNECTING THE VALUE OF SLAB



CONTINUA+ is the most efficient, highest-productivity technology for the accurately managed manufacture of ceramic slabs and tiles, also producible with traditional bodies. The slabs are, in fact, formed without using a traditional press or mould, ensuring maximum flexibility in terms of size and thickness.

CONTINUA+ seamlessly integrates the powder forming phase and subsequent digital decoration. The key strengths of this exclusive process are high quality texturing and unrivalled surface shine.

PRODUCT
Formats





The thicknesses are one of the most important elements characterizing.

15 mm is set aside for the most demanding product applications such as kitchen countertops.

EDGE
Profiles


Double straight rounded edge


Straight squared edge


Rounded straight edge


Double straight squared edge


Half bullnoss


Rounded edge at 45°


Full bullnoss


Squared edge at 45°


Demi bullnoss


Micro bevel

Giving a nice trim to the edges of the tiles adds to its beauty.

As these tiles are of the good thickness of 15mm, it is possible to shape its edges in different styles and create aesthetically rich countertops for your space.

JOINT POSSIBILITIES

Birds beak

45° corner

Soft corner

White

Black



Our collections offer professional-grade performance while seamlessly blending the latest innovations with a premium design aesthetic that is crafted with authentic, high-quality materials.

The Functionality of The Residential Kitchen

Elevating Classic Style for Today's Homeowner

Leading Edge Design and Innovation

PRODUCT Range

Rock Black
Rock Grey
Rock White
Sparkle Black
Sparkle Grey
Sparkle White
Desert Gold
Essel Brown
Jet Black Glaze
Jet Black
Pearl White
Royal Quartzite
Saga White
Scabas
Terazzo Black Flakes
Terazzo Black Salt and Pepper
Terazzo Brown Flakes
Terazzo Brown Salt and Pepper
Terazzo Ivory Salt and Pepper
Terazzo Verde Salt and Pepper
Terrazzo Grey Salt and Pepper
Wall Street Grey
Dynamic Gold
Lemurian Blue
Ambrato Gold Plazma
Black Pearl
Blue Pearl
Emerald Pearl
Forest Green
Golden Portoro
Labrador Black
Lourent Gold
Marquina Black
Portoro Black
Rose Black
White Santorini
Apuane Statuario
Arabescato Gold
Calcatta Elite
Calcutta Gold
Crystal Onyx
Imperial White
Lilac Gold
Marble Volakas
Pebble White
Statuario Calacatta
Statuario Lucidato
Statuario Pearl
Terrazo White

PRODUCT Finishes

CARVING
Carving effect not only provides a depth effect to your flooring but also adds a shinning effect.

GLOSSY
Glossy is an optical property which indicates how well a surface reflects light in a specular (mirror-like) direction.

MATT
A matte finish with a light layer of enamel for subtle shine and a pleasantly soft touch. Surface finish which is easy to clean.

APPLICATION Areas

KITCHEN COUNTERTOP

DINING TABLE

LIVING ROOM

FURNITURE

STAIRCASE

OFFICE TABLE

TABLE TOP

DOOR \WINDOW FRAME

TECHNICAL Features

LIGHTWEIGHT

WATERPROOF

RESISTANT TO SCRATCHES

RESISTANT TO HIGH TEMPERATURES

EASY TO CLEAN

RESISTANT TO BENDING

100% NATURAL

RECYCLABLE

HYGIENIC

RESISTANT TO UV RAYS

ROCK BLACK

BODY	FINISH	SIZE	THICKNESS
COLOR BODY	CARVING	800x2400 MM	15 MM

ROCK GREY

BODY	FINISH	SIZE	THICKNESS
COLOR BODY	CARVING	800x2400 MM	15 MM

ROCK WHITE

BODY	FINISH	SIZE	THICKNESS
COLOR BODY	CARVING	800x2400 MM	15 MM



SPARKLE BLACK

BODY	FINISH	SIZE	THICKNESS
COLOR BODY	CARVING	800x2400 MM	15 MM

SPARKLE GREY

BODY	FINISH	SIZE	THICKNESS
COLOR BODY	CARVING	800x2400 MM	15 MM



SPARKLE WHITE

BODY	FINISH	SIZE	THICKNESS
COLOR BODY	CARVING	800x2400 MM	15 MM



DESERT GOLD

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x2400 MM	15 MM

ESSEL BROWN

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x2400 MM	15 MM



JET BLACK GLAZE

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x2400 MM	15 MM



JET BLACK

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x2400 MM	15 MM



PEARL WHITE

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x2400 MM	15 MM



ROYAL QUARTZITE

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY	800x2400 MM	15 MM

SAGA WHITE

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x2400 MM	15 MM



SCABAS

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x2400 MM	15 MM

TERAZZO BLACK FLAKES

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY	800x2400 MM	15 MM

TERAZZO BLACK SALT AND PEPPER

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x2400 MM	15 MM

TERAZZO BROWN FLAKES

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY	800x2400 MM	15 MM

TERAZZO BROWN SALT AND PEPPER

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x2400 MM	15 MM

TERAZZO IVORY SALT AND PEPPER

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x2400 MM	15 MM

TERAZZO VERDE SALT AND PEPPER

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x2400 MM	15 MM



TERAZZO GREY SALT AND PEPPER

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x2400 MM	15 MM

WALL STREET GREY

BODY	FINISH	SIZE	THICKNESS
FULL BODY	GLOSSY & MATT	800x2400 MM	15 MM

DYNAMIC GOLD

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x2400 MM	15 MM



LEMURIAN BLUE

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x2400 MM	15 MM

AMBRATO GOLD PLAZMA

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x2400 MM	15 MM

BLACK PEARL

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x2400 MM	15 MM



BLUE PEARL

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x2400 MM	15 MM

EMERALD PEARL

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x2400 MM	15 MM

FOREST GREEN

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x2400 MM	15 MM

GOLDEN PORTORO

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x2400 MM	15 MM

LABRADOR BLACK

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x2400 MM	15 MM

LOURENT GOLD

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x2400 MM	15 MM



MARQUINA BLACK

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x2400 MM	15 MM

PORTORO BLACK

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x2400 MM	15 MM

ROSE BLACK

BODY	FINISH	SIZE	THICKNESS
BLACK BODY	GLOSSY	800x2400 MM	15 MM

WHITE SANTORINI

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM

APUANE STATUARIO

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM

ARABESCATO GOLD

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM

CALCATTA ELITE

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM

CALCUTTA GOLD

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM

CRYSTAL ONYX

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM



IMPERIAL WHITE

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM

LILAC GOLD

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM

MARBLE VOLAKAS

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM

PEBBLE WHITE

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM

STATUARIO CALACATTA

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM

STATUARIO LUCIDATO

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM

STATUARIO PEARL

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM

TERRAZO WHITE

BODY	FINISH	SIZE	THICKNESS
WHITE BODY	GLOSSY	800x2400 MM	15 MM

Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Backing Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately / as soon as possible.

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	MEAN VALUE OF	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm²	Min. 42.0 N/mm²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥(7.5mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Posh Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Posh Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175mm³	Max. 132mm³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10^{-6}	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(<12) / Posh ≥P1(12-24)	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9 to R13	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

* With Nano polished
** Except Hydrofluoric Acid & it's compound
# Tiles Intended for use on floor
As per customer requirement

Packing Details

PRODUCT	BODY	SIZE	THICKNESS	TILES / BOX	COVERAGE AREA / BOX	WEIGHT (Kgs)
Carving	Color Body	800x2400mm	15mm	1pc	20.67 Sq ft	67 Kgs
Glossy & Matt	Full Body	800x2400mm	15mm	1pc	20.67 Sq ft	67 Kgs
Glossy	Color Body	800x2400mm	15mm	1pc	20.67 Sq ft	67 Kgs